

PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC
ISO/IEC 17025:2005 Certification L17-427-1 | Accreditation #85368

Sample **200615-D81200-Tincture**

Sample ID	SD200629-003 (37557)	Matrix	Tincture (Other Cannabis Good)
Tested for	3C LLC		
Sampled	-	Received	Jun 29, 2020
Analyses executed	CAN+, TER, RES, MIBNIG, MTO, PES, HME	Reported	Jul 06, 2020
		Unit Volume (mL)	30.0
		Density (g/mL)	0.971

CAN+ - Cannabinoid Profile Analysis

Analyzed Jun 30, 2020 | Instrument HPLC-VWD | Method SOP-001

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/mL	Result mg/Unit
Cannabidiol (CBDV)			NT	ND	ND
Cannabidiol Acid (CBDA)	0.01	0.02	0.02	0.18	5.53
Cannabigerol Acid (CBGA)	0.03	0.08	ND	ND	ND
Cannabigerol (CBG)	0.03	0.09	0.04	0.40	11.94
Cannabidiol (CBD)	0.01	0.04	0.30	3.11	93.22
Tetrahydrocannabinol (THCV)			NT	ND	ND
Cannabinol (CBN)	0.03	0.1	0.08	0.87	26.22
Tetrahydrocannabinol (Δ^9 -THC)	0.04	0.15	ND	ND	ND
Δ^8 -tetrahydrocannabinol (Δ^8 -THC)	0.08	0.24	3.96	40.82	1224.63
Cannabinol (CBL)			NT	ND	ND
Cannabichromene (CBC)			NT	ND	ND
Tetrahydrocannabinolic Acid (THCA)	0.03	0.11	ND	ND	ND
Total THC (THCa * 0.877 + THC)			-	-	-
Total CBD (CBDA * 0.877 + CBD)			0.32	3.17	98.07
Total CBG (CBGa * 0.877 + CBG)			0.04	0.39	11.94
TOTAL CANNABINOIDS			4.40	44.04	1360.86

Sample photography



HME - Heavy Metals Detection Analysis

Analyzed Jul 06, 2020 | Instrument ICP/MSMS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0002	0.05	ND	1.5	Cadmium (Cd)	3.0e-05	0.05	ND	0.5
Mercury (Hg)	1.0e-05	0.01	ND	3.0	Lead (Pb)	1.0e-05	0.125	ND	0.5

MIBNIG - Microbial Testing Analysis

Analyzed Jul 01, 2020 | Instrument Plating | Method SOP-007

Analyte	Result CFU/g	Limit	Analyte	Result CFU/g	Limit
Shiga toxin-producing Escherichia Coli	Negative	ND per 1 gram	Salmonella spp.	Negative	ND per 1 gram

ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Dr. Lia Prevedello, Laboratory Director
Mon, 06 Jul 2020 16:43:42 -0700

MTO - Mycotoxin Testing Analysis

Analyzed Jun 30, 2020 | Instrument LC/MSMS | Method SOP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg
Ochratoxin A	0.78	1.56	ND	20	Aflatoxin B1	0.78	1.56	ND	20
Aflatoxin B2	0.78	1.56	ND	20	Aflatoxin G1	0.78	1.56	ND	20
Aflatoxin G2	0.78	1.56	ND	20	Total Aflatoxins	0.78	1.56	ND	20

ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to
verify authenticity.

Authorized Signature

Dr. Lia Prevedello, Laboratory Director
Mon, 06 Jul 2020 16:43:42 -0700

PES - Pesticides Screening Analysis

Analyzed Jun 30, 2020 | Instrument LC/MSMS GC/MSMS | Method SOP-003

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.025	0.1	ND	0.025	Carbofuran	0.025	0.1	ND	0.025
Dimethoate	0.025	0.1	ND	0.025	Etopenprox	0.025	0.1	ND	0.025
Fenoxycarb	0.025	0.1	ND	0.025	Thiacloprid	0.025	0.1	ND	0.025
Daminozide	0.025	0.1	ND	0.025	Dichlorvos	0.025	0.1	ND	0.025
Imazalil	0.025	0.1	ND	0.025	Methiocarb	0.025	0.1	ND	0.025
Spiroxamine	0.025	0.1	ND	0.025	Coumaphos	0.025	0.1	ND	0.025
Fipronil	0.025	0.1	ND	0.025	Paclobutrazol	0.025	0.1	ND	0.025
Chlorpyrifos	0.025	0.1	ND	0.025	Ethoprophos (Prophos)	0.025	0.1	ND	0.025
Baygon (Propoxur)	0.025	0.1	ND	0.025	Chlordane	0.025	0.1	ND	0.025
Chlorfenapyr	0.025	0.1	ND	0.025	Methyl Parathion	0.025	0.1	ND	0.025
Mevinphos	0.025	0.1	ND	0.025	Abamectin	0.025	0.05	ND	0.3
Acephate	0.025	0.05	ND	5	Acetamiprid	0.025	0.05	ND	5
Azoxystrobin	0.025	0.05	ND	40	Bifenazate	0.025	0.05	ND	5
Bifenthrin	0.025	0.05	ND	0.5	Boscalid	0.025	0.05	ND	10
Carbaryl	0.025	0.05	ND	0.5	Chlorantraniliprole	0.025	0.05	ND	40
Clofentezine	0.025	0.05	ND	0.5	Diazinon	0.025	0.05	ND	0.2
Dimethomorph	0.025	0.05	ND	20	Etoazole	0.025	0.05	ND	1.5
Fenpyroximate	0.025	0.05	ND	2	Flonicamid	0.025	0.05	ND	2
Fludioxonil	0.025	0.05	ND	30	Hexythiazox	0.025	0.05	ND	2
Imidacloprid	0.025	0.05	ND	3	Kresoxim-methyl	0.025	0.05	ND	1
Malathion	0.025	0.05	ND	5	Metaxyl	0.025	0.05	ND	15
Methomyl	0.025	0.05	ND	0.1	Myclobutanil	0.025	0.05	ND	9
Naled	0.025	0.05	ND	0.5	Oxamyl	0.025	0.05	ND	0.2
Permethrin	0.025	0.05	ND	20	Phosmet	0.025	0.05	ND	0.2
Piperonyl Butoxide	0.025	0.05	ND	8	Propiconazole	0.025	0.05	ND	20
Prallethrin	0.025	0.05	ND	0.4	Pyrethrin	0.025	0.05	ND	1
Pyridaben	0.025	0.05	ND	3	Spinosad A	0.025	0.05	ND	3
Spinosad D	0.025	0.05	ND	3	Spiromesifen	0.025	0.05	ND	12
Spirotetramat	0.025	0.05	ND	13	Tebuconazole	0.025	0.05	ND	2
Thiamethoxam	0.025	0.05	ND	4.5	Trifloxystrobin	0.025	0.05	ND	30
Acequinocyl	0.025	0.05	ND	4	Captan	0.025	0.05	ND	5
Cypermethrin	0.025	0.05	ND	1	Cyfluthrin	0.025	0.05	ND	1
Fenhexamid	0.025	0.05	ND	10	Spinetoram J,L	0.025	0.05	ND	3
Pentachloronitrobenzene	0.025	0.05	ND	0.2					

ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to
verify authenticity.

Authorized Signature

Dr. Lia Prevedello, Laboratory Director
 Mon, 06 Jul 2020 16:43:42 -0700

RES - Residual Solvents Testing Analysis

Analyzed Jul 01, 2020 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.4	40.0	ND	5000	Butane (But)	0.4	40.0	ND	5000
Methanol (Metha)	0.4	40.0	<LOQ	3000	Ethylene Oxide (EthOx)	0.4	0.8	ND	1
Pentane (Pen)	0.4	40.0	ND	5000	Ethanol (Ethan)	0.4	40.0	ND	5000
Ethyl Ether (EthEt)	0.4	40.0	ND	5000	Acetone (Acet)	0.4	40.0	<LOQ	5000
Isopropanol (2-Pro)	0.4	40.0	ND	5000	Acetonitrile (Acetonit)	0.4	40.0	<LOQ	410
Methylene Chloride (MetCh)	0.4	0.8	ND	1	Hexane (Hex)	0.4	40.0	<LOQ	290
Ethyl Acetate (EthAc)	0.4	40.0	<LOQ	5000	Chloroform (Clo)	0.4	0.8	ND	1
Benzene (Ben)	0.4	0.8	ND	1	1-2-Dichloroethane (12-Dich)	0.4	0.8	ND	1
Heptane (Hep)	0.4	40.0	ND	5000	Trichloroethylene (TriClEth)	0.4	40.0	ND	1
Toluene (Toluene)	0.4	40.0	ND	890	M,P-Xylene (mp-xyl)			ND	2170
O-Xylene (o-xyl)			ND	2170					

*The limit of 2170 ug/g for M,P-Xylene (mp-xyl) and O-Xylene (o-xyl) is to be intended as the two analytes combined.

TER - Terpenes Testing Analysis

Analyzed Jul 02, 2020 | Instrument GC/FID | Method SOP-002

Analyte	(%)	(mg/g)	Analyte	(%)	(mg/g)
α -Pinene (α -Pin)	ND	ND	Camphene (Cam)	ND	ND
Myrcene (Myr)	ND	ND	b-Pinene (b-Pin)	ND	ND
3-Carene (3-Car)	ND	ND	α -Terpinene (α -Ter)	ND	ND
α -Ocimene (α -Oci)	ND	ND	Limonene (Lim)	ND	ND
p-Cymene (p-Cym)	ND	ND	b-Ocimene (b-Oci)	ND	ND
Eucalyptol (Euc)	ND	ND	g-Terpinene (g-Ter)	ND	ND
Terpenolene (Terp)	ND	ND	Linalool (Lin)	ND	ND
Isopulegol (Isop)	ND	ND	Geraniol (Gera)	ND	ND
b-Caryophyllene (b-Cary)	0.09	0.88	α -Humulene (Hum)	ND	ND
cis-Nerolidol (ci-Ner)	ND	ND	trans-Nerolidol (tr-Ner)	ND	ND
Guaiol (Gua)	ND	ND	Caryophyllene Oxide (CarOx)	ND	ND
α -bisabolol (α -Bbis)	ND	ND			
Total Terpene Concentration			0.09 %	0.88 mg/g	

ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to
verify authenticity.

Authorized Signature

Dr. Lia Prevedello, Laboratory Director
 Mon, 06 Jul 2020 16:43:42 -0700