



DEA No. RA0571996  
FL License # CMTL-0003  
CLIA No. 10D1094068

## Certificate of Analysis

Compliance Test

3CHI  
274 MEDICAL DR # 875  
CARMEL, IN 46082

Batch # 220824-D90-PE  
Batch Date: 2022-09-19  
Extracted From: HEMP

Test Reg State: Florida

Order # 3CH220919-200001  
Order Date: 2022-09-19  
Sample # AADL468

Sampling Date: 2022-09-20  
Lab Batch Date: 2022-09-20  
Completion Date: 2022-09-20

Initial Gross Weight: 100.015 g



Acetic Anhydride

Tested




Acetic Anhydride


Specimen Weight: 101.600 mg

Tested  
SOP13.046  
(GCMS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)
Acetic Anhydride	0.527	50	<LOQ

  
Xueli Gao  
Ph.D., DABT  
Lab Toxicologist

  
Aixa Sun  
D.H.Sc., M.Sc., B.Sc., MT (AAB)  
Lab Director/Principal Scientist



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.87), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.877) + CBG, CBN Total = (CBNA \* 0.877) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta6a10a-THC + Delta8-THC + Total CBN + CBT + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate, Analyte Details above show the Dry Weight Concentrations unless specified as 12% moisture concentration. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = aw (area ratio) = Area Ratio, (mg/Kg) = Milligram per Kilogram

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization.