2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01

3 Bluebonnet Labs

Sample Delta 8 THC Vape Cartridge - 1 ml, Jack Herer (CDT)

Sample ID:	BBL_3590	Matrix:	Distillate	Analyses Executed:	Full Panel
Company:	3Chi	Batch ID:	05DEC2022-CDT-JACKH	Reported:	30 Dec, 2022
Phone:		Received:	08 Dec, 2022		
Address:	275 Medical Dr. 857 Carmel. IN 46082				
Email:	support@3chi.com		X.		

Lab Notes: Results reported for sample as received. Result '0' implies detection less than LOQ.


Cannabinoid Profile Analysis

Analyzed 27 Dec, 2022 | Instrument HPLC-PDA | Method TM-101 Uncertainty Measurement at 95% confidence level is 10%, k=2

Analyte	LOD (ppm)	LOQ (ppm)	Result %	Result (mg/g)	
Cannabidivarinic acid (CBDVa)	0.030	0.080	ND	ND	
Cannabidivarin (CBDV)	0.050	0.150	ND	ND	
Cannabidiolic acid (CBDa)	0.040	0.110	ND	ND	
Cannabidiol (CBD)	0.060	0.190	ND	ND	
Cannabigerolic acid (CBGa)	0.040	0.120	ND	ND	
Cannabigerol (CBG)	0.080	0.230	ND	ND	
Cannabinolic acid (CBNa)	0.080	0.250	ND	ND	
Cannabinol (CBN)	0.040	0.120	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>	
Cannabichromenic acid (CBCa)	0.350	1.060	ND	ND	
Cannabichromene (CBC)	0.090	0.280	ND	ND	
Cannabicyclol (CBL)	0.210	0.640	ND	ND	
D9-Tetrahydrocannabinolic acid (THCa)	0.130	0.400	ND	ND	
D9-Tetrahydrocannabinol (D9-THC)	0.120	0.360	ND	ND	
Tetrahydrocannabivarinic acid (THCVa)	0.050	0.160	ND	ND	
Tetrahydrocannabivarin (THCV)	0.080	0.240	ND	ND	
D8-Tetrahydrocannabinol (D8-THC)	0.140	0.430	96.2917	962.917	
Total THC (THCa * 0.877 + THC)			ND	ND	
Total CBD (CBDa * 0.877 + CBD)			ND	ND	
Total CBG (CBGa * 0.877 + CBG)			ND	ND	
Total Cannabinoids			96.292	962.917	

Sample Photography





NR Not Reportable ND Not Detected N/A Not Applicable NT Not Tested LOD Limit of Detection LOQ Detected >ULOL Above upper limit of linearity CFU/g Colony Forming Units per 1 gram TNTC Too Numerous to Count





Scan the QR code to verify authenticity

Authorized Signature

Trihana

Dr. Archana R. Parameswar Laboratory Director 30 Dec, 2022 11:22:42 AM

Bluebonnet Labs | 2567 Valley View Ln, Dallas, TX 75234, United States | 214.903.4405 | ISO/IEC 17025:2017

al purposes . Isis, unless in

ired LQC (Laboratory Qua All requ ontrol) sam ance criteria for ISO/IEC Regulatio les were included in the perfo yses and met the accepta

2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01

ÿ Bluebonnet Labs

HME - Heavy Metals Detection Analysis

Analyzed 28 Dec, 2022 | Instrument ICP-MS | Method TM-105

Analyte	LOD (ppb)	LOQ (ppb)	Result ug/g	Flag	Limit ug/g
Arsenic (As)	0.005	0.015	ND		
Cadmium (Cd)	0.005	0.016	0		
Mercury (Hg)	0.004	0.013	ND		
Lead (Pb)	0.075	0.224	ND		
MIB - Microbial Testing Analysis	on.				

MIB - Microbial Testing Analysis

Analyzed 28 Dec, 2022 | Instrument PCR/ Plating | Method TM-109

Analyte	Limit (CFU/g)	Result CFU/g	Flag
Salmonella SPP		NEG	
Total Yeast & Mold		<10	
Aspergillus fumigatus		NEG	
Aspergillus flavus		NEG	
Aspergillus niger		NEG	
Aspergillus terreus		NEG	
Shiga toxin-producing Escherichia Coli		NEG	

MTO - Mycotoxin Testing Analysis

Analyzed 28 Dec, 2022 | Instrument LCMS-MS | Method TM-104

Analyte	LOD (ppb)	LOQ (ppb)	Result ug/kg (ppb)	Flag	Limit ug/kg
Mycotoxin B1	0.000	0.010	N D		
Mycotoxin B2	0.010	0.030	N D		
Mycotoxin G1	0.010	0.020	N D		
Mycotoxin G2	0.010	0.040	N D		
Ochratoxin A	0.020	0.060	N D		
Total Mycotoxins			N D		

PES - Pesticides Screening Analysis

Analyzed 28 Dec, 2022 | Instrument LCMS-MS | Method TM-103







Scan the QR code to verify authenticity

Authorized Signature

rchana

Dr. Archana R. Parameswar Laboratory Director 30 Dec, 2022 11:22:42 AM

Bluebonnet Labs | 2567 Valley View Ln, Dallas, TX 75234, United States | 214.903.4405 | ISO/IEC 17025:2017

al purposes o sis, unless in ed except in full, without the written approval of only for samples and batches indicated. Results lity Control) samples were included in the perfo orted on an "as rec uired LQC (Laboratory Qua ance criteria for ISO/IEC Regulati nce of these analyses and met the accepta

2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01

* Bluebonnet Labs

Analytes	LOD (ppb)	LOQ (ppb)	Result ug/g	Flag	Limit ug/g
Abamectin	0.110	0.330	N D		
Acephate	0.230	0.700	N D		
Acequinocyl	0.110	0.320	N D		
Acetamiprid	0.020	0.050	N D		
Aldicarb	0.020	0.050	N D		
Azoxystrobin	0.020	0.060	N D		
Bifenazate	0.010	0.030	N D		
Bifenthrin	0.020	0.060	N D		
Boscalid	0.060	0.170	N D		
Carbaryl	0.010	0.040	N D		
Carbofuran	0.010	0.020	N D		
Chlorantraniliprole	0.010	0.030	N D		
Chlorpyrifos	0.010	0.030	N D		
Clofentezine	0.010	0.040	N D		
Coumaphos	0.040	0.120	N D		
Cyfluthrin	2.320	7.020	N D		
Cypermethrin	0.370	1.130	N D		
Daminozide	0.550	1.650	N D		
Dichlorvos	0.050	0.140	N D		
Dimethoate	0.010	0.020	N D		
Dimethomorph	0.010	0.030	N D		
Ethoprophos	0.020	0.050	N D		
Etofenprox	0.010	0.040	N D		
Etoxazole	0.010	0.020	N D		
Fenhexamid	0.040	0.140	N D		
Fenoxycarb	0.020	0.060	N D		
Fenpyroximate	0.010	0.040	N D		
Fipronil	0.010	0.040	N D		
Fludioxinil	0.020	0.050	N D		
Flunicamide	0.010	0.030	N D		
Hexythiazox	0.010	0.020	N D		
Imazalil	0.060	0.170	N D		
Imidacloprid	0.040	0.110	N D		
Kresoxim-methyl	0.020	0.050	N D		
Malathion	0.010	0.030	N D		
Metalaxyl	0.010	0.020	N D		
Methiocarb	0.010	0.030	N D		
Methomyl	0.020	0.050	N D		
Mevinphos	0.060	0.180	N D		
Myclobutanil	1.190	3.610	N D		
Naled	0.030	0.080	N D		
Oxamyl	0.020	0.050	N D		
Paclobutrazole	0.020	0.060	N D		
Permethrin	0.080	0.260	N D		
Phosmet	0.010	0.030	N D		
Piperonyl butoxide	0.010	0.040	N D		
Prallethrin	0.100	0.300	N D		
NR Not Reportable ND Not Detected N/A Not Applicable NT Not Tested LOD Limit of Detection LOQ Limit of Quantification <loq detected<br="">>ULOL Above upper limit of linearity CFU/g Colony Forming Units per 1 gram TNTC Too Numerous to Count</loq>	ICC MRA	ACCREDITED CERT #6400.01	Scan the QR code to verify authenticity.	Dr. A	uthorized Signature Archana rchana R. Parameswar, Laboratory Director Jeec, 2022 11:22:42 AM

Bluebonnet Labs | 2567 Valley View Ln, Dallas, TX 75234, United States | 214.903.4405 | ISO/IEC 17025:2017

"This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to dia prevent any disease. Results are only for samples and bakvets indicated. Results are reported on an "as received" basis, unless indicated otherwise. All required LCG Laboratory Outling Control) samples were included in the performance of these analyses and mot the acceptance criteria for ISOHEC Regulations.

2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01

÷ Bluebonnet Labs

Analytes	LOD (ppb)	LOQ (ppb)	Result ug/g	Flag	Limit ug/g
Propiconazole	0.070	0.220	N D		
Propoxur	0.010	0.030	N D		
Pyrethrin-I	0.020	0.060	N D		
Pyridaben	0.010	0.020	N D		
Spinetoram	0.230	0.690	N D		
Spinosyn A	0.010	0.020	N D		
Spinosyn D	0.000	0.010	N D		
Spiromesifen	0.050	0.140	N D		
Spirotetramat	0.010	0.030	N D		
Spiroxamine	0.010	0.030	N D		
Tebuconazole	0.010	0.030	N D		
Thiachloprid	0.010	0.030	N D		
Thiamethoxam	0.010	0.040	N D		
Methyl parathion	0.050	0.140	N D		
Diazinon	0.010	0.040	N D		
Trifloxystrobin	0.010	0.030	N D		
Chlordane	0.740	2.250	N D		
Chlorfenapyr	0.830	2.530	N D		
Pentachloronitrobenzene	0.060	0.170	N D		





Scan the QR code to verify authenticity

Authorized Signature

trihana

Dr. Archana R. Parameswar, Laboratory Director 30 Dec, 2022 11:22:42 AM

Bluebonnet Labs | 2567 Valley View Ln, Dallas, TX 75234, United States | 214.903.4405 | ISO/IEC 17025:2017

This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to dia prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. All required LOC (Laboratory Could) Control) samples were included in the performance of these analyses and mult the acceptance criteria for ISO/IEC Regulations.

2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031

DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01

RES – Residual Solvent Analysis

Analyzed 29 Dec, 2022 | Instrument HS-GC/MS | Method TM-106



Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)	Flag	Limit ug/g
Propane	0.470	1.410	N D		
Butane	0.200	0.610	N D		
Methanol	0.070	0.230	N D		
Pentane	0.130	0.410	N D		
Ethanol	0.130	0.380	N D		
Ethyl ether	0.020	0.070	N D		
Acetone	0.060	0.180	N D		
Isopropyl alcohol	0.030	0.090	N D		
Acetonitrile	0.020	0.060	N D		
Methylene chloride	0.010	0.020	N D		
Hexane	0.030	0.080	N D		
Ethyl acetate	0.030	0.080	N D		
Chloroform	0.010	0.030	N D		
Benzene	0.010	0.030	N D		
1 2-Dichloroethane	0.010	0.030	N D		
Heptane	0.020	0.060	N D		
Trichloroethene	0.010	0.030	N D		
Toluene	0.010	0.020	N D		
Isobutane	3.900	11.820	N D		
Ethyl benzene	1.700	5.160	N D		
m p-Xylenes	0.010	0.030	N D		
o-Xylene	0.010	0.020	N D		

NR Not Reportable ND Not Detected N/A Not Applicable NT Not Tested LOD Limit of Detection LOQ Detected >ULOL Above upper limit of linearity CFU/G Colony Forming Units per 1 gram TNTC Too Numerous to Count





Scan the QR code to verify authenticity

Authorized Signature

trihana

Dr. Archana R. Parameswar, Laboratory Director 30 Dec, 2022 11:22:42 AM

Bluebonnet Labs | 2567 Valley View Ln, Dallas, TX 75234, United States | 214.903.4405 | ISO/IEC 17025:2017

This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to dia prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. All required LOC (Laboratory Could) Control) samples were included in the performance of these analyses and mut the acceptance orienta' for ISO/EC Regulations.

2567 Valley View Ln, Dallas, TX 75234, United States | TX Registration #: TL2020031


DEA #: RP0607436 | ISO/IEC 17025:2017 Certificate #: 6400.01

Bluebonnet Labs

TER- Terpenes Analysis

Analyzed 29 Dec, 2022 | Instrument HS-GC/MS | Method TM-102

Analyte	LOD (ppm)	LOQ (ppm)	Result %	Result mg/g
a-Pinene	0.840	2.540	0.032	0.32
Camphene	0.940	2.850	0.008	0.08
b-Myrcene	1.080	3.260	0.085	0.85
b-Pinene	1.110	3.380	0.04	0.4
3-Carene	0.460	1.400	N D	N D
a-Terpinene	1.180	3.570	0.01	0.1
a-ocimene	0.240	0.710	N D	N D
Limonene	0.730	2.210	0.134	1.34
cis-b-Ocimene	0.680	2.050	0.052	0.52
Eucalyptol	1.500	4.530	0.018	0.18
y-Terpinene	0.570	1.720	0.015	0.15
Terpinolene	0.970	2.950	0.393	3.93
Linalool	1.830	5.550	0.075	0.75
Isopulegol	1.650	4.990	N D	N D
Geraniol	0.780	2.370	N D	N D
trans-b-Caryophyllene	0.910	2.760	0.284	2.84
a-Humelene	0.960	2.920	0.103	1.03
cis-Nerolidol	0.510	1.540	N D	N D
trans-Nerolidol	1.110	3.360	N D	N D
Guaiol	2.800	8.490	N D	N D
Caryophyllene Oxide	0.970	2.950	0.015	0.15
a-Bisabolol	2.500	7.560	N D	N D
Total Terpene Concentration			1.264	12.64



NR Not Reportable ND Not Detected N/A Not Applicable NT Not Tested LOD Limit of Detection LOQ Detected >ULOL Above upper limit of linearity CFU/g Colony Forming Units per 1 gram TNTC Too Numerous to Count





Scan the QR code to verify authenticity. Authorized Signature

trihana

Dr. Archana R. Parameswar, Laboratory Director 30 Dec, 2022 11:22:42 AM

Bluebonnet Labs | 2567 Valley View Ln, Dallas, TX 75234, United States | 214.903.4405 | ISO/IEC 17025:2017

"This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagon prevent any disease. Results are only for samples and batches included. Results are reported on an "as received" basis, unless indicated otherwise. All required LQC (Laboratory Quality Control) samples were included in the performance of these analyses and met the acceptance criteria for ISO/IEC Regulations.